PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eve irritation. Avoid contact with skin. eves, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of food and feedstuffs.

Do not use in commercial food/feed processing. preparation, food/feed storage or serving areas. In the home, all food/feed processing surfaces and utensils should be covered during treatment. or thoroughly washed before use. Exposed food/ feed must be covered or removed

Remove pets and birds and cover fish aquariums before spraving.

FIRST AID

or going for treatment. You may also contact

the National Pesticide Information Center at 1-800-858-7378 for emergency medical

NOTE TO PHYSICIAN

Contains petroleum distillate - vomiting may

IF IN EYES:

IF ON SKIN

OR CLOTH

IF SWALLO

Have the

when ca

treatment information.

cause aspiration pneumonia.

	 Hold eye open and rinse slowly and 	DIELECTRI
	gently with water for 15-20 minutes. • Remove contact lenses, if present, after	By AST
NG:	 the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. Immediately call a poison control center 	THIS PROU INDOORS (A WHERE NES FOOI EXPOSED). HORNET, AN ACTIVE INGREDIEN Tetramethrin [(1 2,2-dimethyl-3- cyclopropaneca Phenothrin
WED:	or doctor for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. unconscious person.	* Contains petroleu KEEP OL
	HOT LINE NUMBER	See si prec EPA REC
	duct container or label with you a poison control center or doctor,	EP

SENCORE

OSOK

KILLS WASPS. YELLOW JACKETS, AND HORNETS ON CONTACT

GIVES RAPID KNOCKDOWN AND KILL OF WASPS YELLOW JACKETS, AND HORNETS

C BREAKDOWN VOLTAGE: 41 0 KV M Test Method D-877-87

DUCT CAN BE USED BOTH ATTICS AND OTHER PLACES STS ARE BUILT AND WHERE D OR FEED ARE NOT AND OUTDOORS ON WASP ND YELLOW JACKET NESTS.

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl		
2,2-dimethyl-3-(2-methyl-propenyl)		
cyclopropanecarboxylate]	0.200%	
Phenothrin	0.125%	
*OTHER INGREDIENTS:		

um distillate.

JT OF REACH OF CHILDREN CAUTION

100.000%

ide panel for additional cautionary statements.

G. NO. 10088-115-89808

PA EST. 10088-WI-1

NET CONTENTS: 14 oz. (397 g)

Sold By:

Encore Industrial Products. LLC 3502 Bacor Rd Houston, TX 77084

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas

PHYSICAL OR CHEMICAL HAZARDS FLAMMABLE. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF NESTS OF WASPS, YELLOW

JACKETS AND HORNETS: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Wait 48 hours before removing the nest. Hose off foliage of desirable plants that were contacted with spray.

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and re-check in a few hours

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, or Feed By

Storage or Disposal.

Pesticide Storage: Store in a dry place no lower in temperature than 50°F or higher than 120°F. Container Disposal: Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse 8401. or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.