

DIRECTIONS FOR USE

STEP 1: Follow dilution chart to determine proper dilution rate.

STEP 2: Wear proper PPE prior to using TRC-XL as per SDS.

STEP 3: Thoroughly wet equipment with water to prepare surface to be cleaned.

STEP 4: Apply TRC-XL through a pressure washer or using a chemical sprayer. Agitate to help penetrate heavy buildup as necessary. Let stand for up to 5 minutes.

STEP 5: Rinse and let dry.

CAUTION: DO NOT ALLOW ON GLASS SURFACES!

APPLICATIONS & DILUTION

Frac Tanks	1 to 10 water
Concrete Floors	1 to 25 water
Engines	1 to 10 water
Machinery	1 to 12 water
Machine Sumps	1 to 12 water
Metal Surfaces	1 to 50 water
Plastics	1 to 12 water
Power Units	1 to 14 water
Stainless Steel & Aluminum	1 to 40 water
Tools	1 to 2 water
Mud Pumps	1 to 12 water
Draw Works	1 to 12 water
Substructure	1 to 12 water
Traveling Block	1 to 12 water
Hook & Swivel	1 to 12 water
Drilling Rig Floor Etc.	1 to 12 water
Dozers	1 to 14 water
Back Hoes	1 to 14 water
Fork Lifts	1 to 20 water
Vac Trucks	1 to 11 water
Industrial Filters & Screens	1 to 10 water
Valves & Pumps	1 to 12 water

CONTAINS: Caustic Soda, (CAS No) 1310-73-2; sodium xylenesulfonate, (CAS No) 1300-72-7

HMIS RATING

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

P.I.N. - A - 125

ENCORE
INDUSTRIAL

TRC-XL TOTAL RIG CLEAN EXTRA STRENGTH

**FORTIFIED WITH NON-IONIC DETERGENTS
& AQUEOUS BASED SOLVENTS**

**BREAKS DOWN HEAVY DUTY DIESEL
CARBONS AND PETROLEUM BUILD UP**

**CONTAINS ENHANCED WETTING AGENTS
FOR DEEP CLEANING**



DANGER

KEEP OUT OF REACH OF CHILDREN

See side panel for additional
precautions and First Aid.



NET CONTENTS:

- 4X1 5 GAL 20 GAL 30 GAL
 55 GAL 275 TOTE



DANGER

May be corrosive to metals.
Causes SEVERE skin burns
and eye damage.
Causes serious eye damage



PRECAUTIONS

Keep only in original container. Do not breathe vapors, spray, mist. Wash hands thoroughly after handling. Wear eye protection, protective gloves. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Dispose of contents/container to an approved waste disposal plant.

FIRST AID

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). **AFTER INHALATION:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a doctor/physician. **AFTER SKIN CONTACT:** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a doctor/physician. **AFTER EYE CONTACT:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor/physician. **AFTER INGESTION:** Rinse mouth. Do NOT induce vomiting. Immediately call a doctor/physician.

FIRE FIGHTING

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

SAFE HANDLING

Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe vapor, spray, mist. Avoid contact during pregnancy/nursing.

ENCORE INDUSTRIAL PRODUCTS, LLC
PO BOX 300 BARKER, TX 77413
281-944-477 OR 1-877-703-3044
WWW.ENCOREINDUSTRIAL.COM

