



Thread Rebuilding Penetrant utilizes nano technology to do what no other liquid penetrant can do. Finally science meets practical application to resolve one of industries biggest problems. How can you disassemble equipment when the threads have been damaged? In the past this task required a cutting torch or a drill out of nuts & bolts. Now Spin Off will rebuild the threads on a molecular level to allow for complete disassembly.

Just spray & turn and let Spin Off do the rest.

Use On:

Pipe Threads • Bolts • Nuts • Drill Collars • Connections

Directions For Use:

1. Shake can well prior to use
2. Spray on damaged thread area
3. Begin disassembly. Depending on thread damage multiple applications may be required between turns. Continue to spray and turn until equipment is disassembled.
4. If clean-up is required use Flush Monkey an industrial safety solvent or a close equivalent.

Read SDS before using

WARNING: Contents under pressure; may explode if heated. Protect from sunlight. Store in well-ventilated place. Do not spray near heat, sparks or open flame.

Do not puncture, incinerate or store above 120°F. Avoid prolonged exposure to sunlight. Containers heated above 120°F may burst.

Available for sale throughout the US

HMS Rating / Health: 1 / Flammability: 1 / Reactivity: 0 / Personal Protection: None

Proudly Made in the USA

P.I.N. - G-195

Manufactured in Houston, Texas by **ENCORE INDUSTRIAL PRODUCTS, LLC**
3502 Bacoer Rd., Houston, TX 77084 / 281-944-4777 or 1-877-703-3044

www.encoreindustrial.com



Batch #:



Thread Rebuilding Penetrant

Reconstrucción Penetrante Del Hilo De Rosca

**Eco Friendly Formula
No Torch/No Drill Formula/No Problem**

**Just Spray & Turn
Utilizes Nano Technology
No More Cheater Bars**

Keep Out Of Reach Of Children

Mantener fuera del alcance de los niños

CAUTION: Contents under pressure see side panel for additional precautions
PRECAUCIÓN: Contarntas bajo presión ver panel lateral para las precauciones adicionales
Net WT. 10.5 OZ (298 grams)

